

SAMPLE SUBMISSION FORM

Company	
Date	
Con Note No.	
No. Packages	No. Samples

Client Order No. PNG	
Client Order No. Other	
Client Order No. Australia	
Project	
OFFICE USE ONLY	
Job No	

Start No.	Finish No.	Qty	Elements	Method of Analysis

Mineralogy	
Elements of interest	
Expected grades	

Turnaround	<input type="radio"/> Routine	<input type="radio"/> Priority	<input type="radio"/> Date Required _____
-------------------	-------------------------------	--------------------------------	---

Hazardous Samples	<input type="radio"/> Fibrous/Asbestos	<input type="radio"/> Radioactive	<input type="radio"/> Other (please specify) _____
--------------------------	--	-----------------------------------	--

Sample Type		
<input type="radio"/> Calcrete	<input type="radio"/> Pulp	<input type="radio"/> Rock Chip
<input type="radio"/> Drill Core	<input type="radio"/> RAB Chip	<input type="radio"/> Sediment/Soil
<input type="radio"/> Metallurgical	<input type="radio"/> RC Chip	<input type="radio"/> Other

Results to:	
Email/Fax <input type="radio"/>	Format
PDF soft copy <input type="radio"/>	
Address <input type="radio"/>	

Special Instructions

Copy to:	
Email/Fax <input type="radio"/>	Format
PDF soft copy <input type="radio"/>	
Address <input type="radio"/>	

Submitted By
Name _____
I have declared any hazardous material above
Signed _____
Date _____

Invoice to:	
PDF soft copy <input type="radio"/>	
Address <input type="radio"/>	

Sample Disposal	Pulp	Bulk	Charges apply for sample storage > 60 days
Hold for [] months then dispose	<input type="radio"/>	<input type="radio"/>	Other (give details)
Hold for [] months then return	<input type="radio"/>	<input type="radio"/>	

Submitted To		
PERTH Gate 6, 16 Davison Street MADDINGTON, WA 6109 P: +61 8 9251 8100 E: min.aus.samples@intertek.com E: min.aus.asp@intertek.com	TOWNSVILLE 9-23 Kelli Street BOHLE, QLD 4818 P: +61 7 4774 3655 E: min.aus.tsv@intertek.com	LAE, ITS (PNG) LTD Voco Point Road LAE, PNG P: +675 472 8113 E: png.minnml@intertek.com E: min.png.lae@intertek.com